



# FLOOR & FURNITURE TREATMENT



## BIACTIV FORMULA

**1 THERAPEUTIC** eliminates termites & insects

**2 PROTECTIVE** prevents reappearance

**Vitrifiable, can be waxed**

**Doesn't stain the wood**

## DESTINATION

Furniture, decorative wooden objects and wood doors covered with a finishing product (varnish, wax, etc). The injection affords effective treatment in depth without stripping. Wood preservative to protect against wood-boring insects. Composition: PERMETHRIN (N° CAS 52645-53-1) : 0.44% (w/v). Shelf life: see label

## CHARACTERISTICS

Product for treating furniture and wood doors. Ready-to-use formula based on PERMETHRIN.

PERMETHRIN is the latest generation insecticidal active principle, highly concentrated and particularly effective.

Clear.

Non-greasy.

## INSTRUCTIONS FOR USE

### PREPARATION

Preparation: Used on bare wood or waxed or varnished wood. In this case, use the injector carefully, ensuring that the surface of the wood is not stained.

### APPLICATION

Proceed by successive injections, introducing the injector into the orifice of the insect galleries until the wood is saturated. If necessary, complete the treatment using a brush for the V33 Wooden Floor and Furniture Treatment on all the internal faces of the wood. Finishing: Recommended with the entire range of V33 products: varnishes, paints.

Compatible with any other decorative finishing product (waxes, colours etc). Pressurised receptacle. Protect against solar radiation and do not expose to a temperature above 50°C. Do not pierce or burn, even after use. Do not vaporise close to a flame or incandescent body. Keep away from any flame or source of sparks or ignition. Do not smoke.

PROCEED BY SHORT PRESSES WITHOUT PROLONGED SPRAYING. Do not use for a purpose other than that for which the product is intended. Do not use in a confined atmosphere.

## SAFETY RECOMMENDATIONS and PRECAUTIONS FOR USE



DANGER - EUH208 : Contains Permethrin. May produce an allergic reaction. H222 : Extremely flammable aerosol. H229 : Pressurised container : May burst if heated. H410 : Very toxic to aquatic life with long lasting effects. EUH066 : Repeated exposure may cause skin dryness or cracking. P102 : Keep out of reach of children. P103 : Read label before use. P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 : Do not spray on an open flame or other ignition source. P251 : Do not pierce or burn, even after use. P273: Avoid release to the environment. P391 : Collect spillage. P405 : Store locked up. P410 + P412 : Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 : Dispose of contents/container to a waste collection center (contact the local authority). Composition : Permethrin (n°CAS : 52645-53-1) : 0.56% pure (0.6% technical). Professional and non-professional users. TP8 : Solid wood protection product : Insects with xylophagous larvae - Longhorn beetle (*Hylotrupes bajulus*) - Furniture beetle (*Anobium punctatum*) - Brown lyctus (*Lyctus brunneus*) Termites (*Reticulitermes* spp and *Heterotermes* spp). Always read the label or the booklet carefully before using and follow the approved instructions for use. Users should notify if the application is ineffective and report it immediately to the licensee. Do not apply to wood that may come into contact with food, animal feed, beverages and animals. Keep away from children. Avoid contact with the skin. Wash hands thoroughly after handling. Inhalation : Move the victim to fresh air and allow him / her to rest in a breathtaking position. If symptoms occur and / or have been ingested, consult a physician immediately. In the event of a conscious state of consciousness, place it in a sideways position and consult a doctor immediately. Do not administer fluids or cause vomiting. Ingestion : Rinse mouth with water. Do not drink or cause vomiting. Contact the Poison Center. If symptoms develop and / or have been swallowed, seek medical advice immediately. Contact with skin : Remove contaminated clothing and footwear. Wash contaminated skin with water and soap. If symptoms occur, contact the Poison Center. Eye contact : Rinse immediately with plenty of water, occasionally lifting the upper and lower eyelids. Check for contact lenses and remove them if it is easy. Continue to rinse with lukewarm water for at least 10 minutes. If you experience irritation or reduced vision, please visit a physician. You have the container or label available. Shelf life : 36 months. Do not store above 40 ° C. Treated wood should not be used for uses involving contact with food. feed or animals.

### NOTICE :

Interiors. Use indoors, in soft and hardwood class 1 – EN335. Ready to use, aerosol. Preventive treatment for wood. Surface application / spraying after degassing. Application dose : UC1 : 200 ml / m<sup>2</sup>. Curative treatment for wood. Surface application / spraying after degassing. Application dose : 300 ml / m<sup>2</sup>. Injection (combined with surface application). Application dose : 150 ml (after degassing) / m<sup>2</sup> and 300 ml / m<sup>2</sup> of for surface application. Curative injections are always performed in combination with a curative treatment by surface application. Wear protection nitrile gloves during the application phase by spraying. Do not dispose of the product on the ground in water courses in piping (eg toilet sink), drainage or any other external environment. Dispose of the unused product, its packaging and any other waste in accordance with National legislation.